



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/785,431	02/24/2004	Richard S. Sanders	GUID.048US01 (01-158)	8603

7590  
Crawford Maunu PLLC  
Suite 390  
1270 Northland Drive  
St. Paul, MN 55120

03/23/2007

EXAMINER

MALAMUD, DEBORAH LESLIE

ART UNIT

PAPER NUMBER

3766

SHORTENED STATUTORY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE
31 DAYS	03/23/2007	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

<b>Office Action Summary</b>	Application No.	Applicant(s) <i>SR</i>	
	10/785,431	SANDERS, RICHARD S.	
	Examiner	Art Unit	
	Deborah Malamud	3766	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 27 December 2006.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-62 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☐ Claim(s) \_\_\_\_\_ is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☒ Claim(s) 1-62 are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                     | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

### DETAILED ACTION

1. The examiner acknowledges the amendments received 27 December 2006.

Claims 1-62 are pending.

### *Election/Restrictions*

2. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-7, drawn to an implantable cardiac device, classified in class 607, subclass 36.
- II. Claims 8-22, drawn to an implantable cardiac device, classified in class 607, subclass 36.
- III. Claims 23-37, drawn to an implantable cardiac device, classified in class 607, subclass 36.
- IV. Claims 38-41, drawn to a cardiac system, classified in class 607, subclass 60.
- V. Claims 42-48, drawn to a cardiac monitoring and stimulation method, classified in class 607, subclass 36.
- VI. Claims 49-54, drawn to a method, classified in class 607, subclass 36.
- VII. Claims 58-62, drawn to a cardiac device, classified in class 607, subclass 60.

3. The inventions are distinct, each from the other because of the following reasons:

Inventions II and I are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in

Art Unit: 3766

scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination II has separate utility such as storage of the cardiac signals for later review and diagnosis by a physician. See MPEP § 806.05(d).

Inventions III and I are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination III has separate utility such as a patient controlled method of operating the implantable device, for example by actuating a switch to transition the cardiac device between the two modes of operation. See MPEP § 806.05(d).

Inventions IV and I are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination IV has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions V and I are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the method performed by the implantable device required by

invention V could be practiced by leadless or external electrodes, rather than by the implantable, leaded electrodes required by invention I.

Inventions VI and I are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the method performed by the implantable device required by invention VI could be practiced by leadless or external electrodes, rather than by the implantable, leaded electrodes required by invention I.

Inventions VII and I are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination VII has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions II and III are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination III has separate utility such as a patient controlled method of operating the implantable device, for example by actuating a switch to transition the cardiac device between the two modes of operation. See MPEP § 806.05(d).

Inventions II and IV are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination IV has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions II and V are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the method performed by the implantable device required by invention V could be practiced by leadless or external electrodes, rather than by the implantable, leaded electrodes required by invention II.

Inventions II and VI are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the method performed by the implantable device required by invention VI could be practiced by leadless or external electrodes, rather than by the implantable, leaded electrodes required by invention II.

Inventions II and VII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in

scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination VII has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions III and IV are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination IV has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions III and V are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the method performed by the implantable device required by invention V could be practiced by a controller within the implantable device that transitions the cardiac device between first and second operating modes, rather than by the actuatable mode switch required by invention III.

Inventions III and VI are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP §

Art Unit: 3766

806.05(e)). In this case the method performed by the implantable device required by invention VI could be practiced by a controller within the implantable device that transitions the cardiac device between first and second operating modes, rather than by the actuatable mode switch required by invention III.

Inventions III and VII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination VII has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions IV and V are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus claimed by invention IV could be used to provide external storage of cardiac signals for review by a physician that is remote from the patient.

Inventions IV and VI are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus claimed by invention IV could be used to provide



Art Unit: 3766

external storage of cardiac signals for review by a physician that is remote from the patient.

Inventions IV and VII are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2) that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because it does not require that the cardiac signal detected by the device be a cardiac electrogram signal. The subcombination has separate utility such as distinguishing between different types of cardiac arrhythmia for patient diagnosis.

Inventions V and VI are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination VI has separate utility such as storing sensed cardiac data for later physician diagnosis and review. See MPEP § 806.05(d).

Inventions V and VII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination VII has

Art Unit: 3766

separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

Inventions VI and VII are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct if they do not overlap in scope and are not obvious variants, and if it is shown that at least one subcombination is separately usable. In the instant case, subcombination VII has separate utility such as external storage of cardiac signals for review by a physician that is remote from the patient. See MPEP § 806.05(d).

4. The examiner has required restriction between combination and subcombination inventions. Where applicant elects a subcombination, and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

5. The examiner has required restriction between subcombinations usable together. Where applicant elects a subcombination and claims thereto are subsequently found allowable, any claim(s) depending from or otherwise requiring all the limitations of the allowable subcombination will be examined for patentability in accordance with 37 CFR 1.104. See MPEP § 821.04(a). Applicant is advised that if any claim presented in a

continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

6. Because these inventions are independent or distinct for the reasons given above and there would be a serious burden on the examiner if restriction is not required because the inventions have acquired a separate status in the art due to their recognized divergent subject matter, restriction for examination purposes as indicated is proper.

7. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions


Art Unit: 3766

unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Deborah Malamud whose telephone number is (571) 272-2106. The examiner can normally be reached on Monday-Friday, 9.00am-5.30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Carl Layno can be reached on (571) 272-4949. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

  
CARL LAYNO  
PRIMARY EXAMINER  
ACTING SPE, AU 3766

  
Deborah L. Malamud  
Patent Examiner  
Art Unit 3766